

Application Number 09/975,522
Responsive to Office Action mailed April 11, 2005

REMARKS

This amendment is responsive to the Office Action dated April 11, 2005. Applicants have amended claims 1-3, 13, 18, 23 and 24. Claims 1-25 remain pending.

Amendments to Specification

Per the Examiner's request, Applicants have amended the specification to update the status of the parent priority document.

Per the Examiner's request, Applicants have updated the specification to capitalize the use of trade names.

Applicants respectfully decline amendment to the claims to number each line as this is not the preferred numbering scheme of the Applicants.

Claim Rejection Under 35 U.S.C. § 103

Claims 1-3, 5, 18-19, 22-23

In the Office Action, the Examiner rejected claims 1-3, 5, 18-19, 22-23 under 35 U.S.C. 103(a) as being unpatentable over Susai et al. (USPN 2002/0059428) in view of Sridhar et al. (USPN 6,266,701).

Applicants respectfully traverse the rejection. The applied references fail to disclose or suggest the inventions defined by Applicants' claims, and provide no teaching that would have suggested the desirability of modification to arrive at the claimed invention.

With respect to claim 1, the Examiner correctly recognized that Susai fails to teach or suggest a network device having an HTTP multiplexor/demultiplexor that distributes requests over an individual server TCP connection to a corresponding socket on the server. As aptly stated by the Examiner, Susai "focuses on a type of multiplexing wherein the connection between interface unit 202 and server S is remained [sic] open for the next incoming stream [to service a subsequent client]." This fact is clearly demonstrated throughout Susai and shown in FIG. 3 in which a new connection is always opened (step 308) unless an existing connection is "free" (step 306). FIG. 6 illustrates this in more detail by depicting a first client C1 accessing the server S and then specifically issuing a close request 514, allowing the connection to S to be "free" for use by a subsequent client C2.

Application Number 09/975,522
Responsive to Office Action mailed April 11, 2005

Applicants thank the Examiner for recognizing and acknowledging this fundamental difference between Susai and Applicants' claims.

In rejecting claim 1, the Examiner states that Sridhar teaches Applicants' claim elements of multiplexing a plurality of requests together over an individual server TCP connection to a corresponding socket on the server. In support, the Examiner cites Sridhar at col. 6, ll. 3-15.

Applicants respectfully submit that the Examiner has misunderstood Sridhar. Sridhar does not describe multiplexing a plurality of requests together over an individual server TCP connection to a corresponding socket on the server. In contrast, Sridhar describes techniques for using "alternative transport or application protocols" other than TCP or HTTP to improve throughput.¹ For example, Sridhar specifically states:

[A]lternative transport or application layer protocols are used, rather than the protocols used by the applications, on all or a portion of the communication path joining two applications. Features of the alternative protocols can include one or more of selective retransmission of lost or damaged packets, multiplexing of multiple data streams over a single connection, and separate rate control and flow control methods. These or other features of the alternative protocol can improve throughput and reduce latency over those achieved using the protocols such as **TCP or HTTP** on the entire path joining the applications.

Thus, Sridhar is not referring to multiplexing TCP requests at all. Moreover, the Sridhar system is incapable of multiplexing TCP requests. Instead, Sridhar describes a system that uses both TCP and an alternative protocol (the express transport protocol (XTP) in this case). Sridhar relies on the built-in rate limiting mechanisms of XTP for multiplexing and does not describe a system capable of providing these features. As a result, the Sridhar system is unable to provide any of these features protocols like TCP that do not inherently support multiplexing. Sridhar makes this clear at col. 11, 57-66, which expressly states that a different instance must be used for each TCP connection:

Other transport layer protocol characteristics in the XTP segment joining gateway computer 612 and remote communication server 626 include explicit rate control, which avoids congestion along a communication path, and multiplexing of multiple logical data streams between computers, which provides more efficient data transfer. **Note that TCP does not have a similar explicit mechanism for rate control, and uses a separate instance of the TCP protocol for each logical data stream.** As described more fully below, each of these characteristics yields performance advantages over using TCP.

¹ See, e.g., Sridhar at Summary.

Application Number 09/975,522
Responsive to Office Action mailed April 11, 2005

Shridar's use of XTP and TCP is perhaps even more clearly stated at col. 12, ln. 25-39 as follows:

Multiplexing enables one to use a single instance of the XTP protocol executing for a pair of computers communicating using XTP to handle multiple logical data streams between the two computers. **This multiplexing capability is in contrast to TCP in which a separate instance of the TCP protocol executes independently for each logical data stream.** An example of a situation in which multiple data streams are passing concurrently between two computers is when a Web browser requests data to render a particular Web page. If there are embedded references to other data in a Web page, **separate TCP data streams, each with a separate instance of the TCP protocol, are used to retrieve the referenced data.** Using XTP, if the data is retrieved from the same computer, the multiple data streams are multiplexed and use only a single instance of the protocol.

Thus, it is clear that Sridhar does not describe multiplexing a plurality of TCP requests together, or multiplexing the plurality of requests over an individual server TCP connection to a corresponding socket on the server.

Instead, Sridhar must rely on features of the alternative protocol (XTP in this case) to achieve multiplexing/demultiplexing, and does not teach or suggest an intermediate device that can provide such features for TCP. Thus, Susai in view of Sridhar does not describe multiplexing a plurality of TCP requests together, and does not teach or suggest multiplexing the plurality of requests over an individual server TCP connection to a corresponding socket on the server.

For these reasons, even if Susai were modified in view of Sridhar, as suggested by the Examiner, the resultant system would still not be able to achieve multiplexing a plurality of requests together over an individual server TCP connection to a corresponding socket on the server. None of the references teach or suggest such an ability. Instead, Sridhar goes to great length to teach that such functions are not attainable and that "alternative protocols" must be used. Thus, neither Susai nor Sridhar, either singularly or in combination, teach or suggest an HTTP multiplexor/demultiplexor configured to distribute HTTP requests from a plurality of the clients over an individual server TCP connection to a corresponding socket on the server system, as required by claim 1. This feature is not taught or suggested by any of the references.

With respect to amended independent claim 3, for at least the reasons stated above, neither Susai nor Sridhar, either singularly or in combination, teach or suggest routing HTTP

Application Number 09/975,522
Responsive to Office Action mailed April 11, 2005

requests to an individual socket on a server system via a multiplexed transmission using an individual server TCP connection.

Similarly, with respect to independent claim 18, for at least the reasons stated above, neither Susai nor Sridhar, either singularly or in combination, teach or suggest a computer networking device comprising an HTTP multiplexor/demultiplexor configured to send HTTP requests to a socket on the server system via a multiplexed TCP transmission. In rejecting claim 18, the Examiner again cites Sridhar at col. 6, ll. 3-15 for such a teaching. However, as stated above, Sridhar is referring to use of an alternative protocol other than TCP that has built-in multiplexing features.

Similarly, with respect to independent claim 22, for at least the reasons stated above, neither Susai nor Sridhar, either singularly or in combination, teach or suggest a computer networking device configured to receive HTTP requests from the clients and to distribute those requests via multiplexed transmission over an individual TCP connection to a server socket on the server system.

With respect to claim 2, Applicants have clarified that the responses are multiplexed HTTP response. As correctly recognized by the Examiner, Susai fails to describe multiplexed communications in the manner claimed by the Applicants. Moreover, as explained above, Susai in view of Sridhar similarly fails to teach or suggest these elements.

For similar reasons, with respect to claim 23, Susai in view of Sridhar similarly fails to teach or suggest demultiplexing responses received from a server via a multiplexed transmission.

For at least these reasons, the Examiner has failed to establish a prima facie case for non-patentability of Applicant's claims 1-3, 5, 18-19, 22-23 under 35 U.S.C. 103(a). Withdrawal of this rejection is requested.

Claims 6-7, 9, 11-17, 21, 24-25

In the Office Action, the Examiner rejected claims 6-7, 9, 11-17, 21, 24-25 under 35 U.S.C. 103(a) as being unpatentable over Susai in view of Sridhar et al.

With respect to independent claim 6, for at least the reasons stated above, neither Susai nor Sridhar, either singularly or in combination, teach or suggest multiplexing the received requests for delivery to the server system via an individual server TCP connection. Again, the

Application Number 09/975,522
Responsive to Office Action mailed April 11, 2005

Examiner correctly recognized that Susai fails to teach or suggest these elements, and Sridhar refers instead to selection of protocol types. With respect to TCP, Sridhar expressly states that separate instances of TCP must be used, which is directly contrary to Applicants' claim 6.

Similarly, with respect to independent claim 17, for at least the reasons stated above, neither Susai nor Sridhar, either singularly or in combination, teach or suggest sending received client requests as a multiplexed transmission to the optimal server socket via an individual TCP connection.

With respect to independent claim 24, for at least the reasons stated above, neither Susai nor Sridhar, either singularly or in combination, teach or suggest a computer networking device that sends each HTTP request to a determined optimal server socket via a multiplexed TCP transmission.

With respect to claim 11, the Examiner has apparently misquoted Sridhar. The cited passage does not describe determining a last-accessed server socket in order to select an optimal socket, as required by claim 11. To the contrary, the cited passage describes the use of a prefetch buffer when retrieving objects from a server so that subsequent requests can be serviced from the buffer, which has nothing to do with socket selection. Correction by the Examiner is requested.

With respect to claim 12, the Examiner states that Sridhar teaches determining whether a server is busy, and that routing proceeds based on this limitation. However, the Examiner appears to again have misquoted Sridhar. Col. 23, ll. 5-10 of Sridhar states the following:

In this approach, a gateway computer or a specially enabled client computer tries to make a connection to an remote communication server (which may not exist) and if there is no response, assume that the TCP address is not served by a remote communication server and, instead, proceed to establish a TCP connection. Thus, Sridhar is merely describing the gateway computer as determining whether a TCP address is serviced at all by a remote server. This is unrelated to Applicant's claim 12 where an optimal socket to a particular server system is selected based on unfulfilled requests for sockets to that server system. Contrary to the Examiner assertion, Sridhar is not determining whether a server is "busy" at all. Rather, whether a network address is usable. Moreover, whether a server is "busy" does not teach or suggest examining the actual number of unfulfilled requests. Correction by the Examiner is requested.

With respect to claim 13, neither Susai nor Sridhar teach or suggest listening for multiplexed HTTP responses from the optimal server socket via an individual TCP connection.

Application Number 09/975,522
Responsive to Office Action mailed April 11, 2005

Col. 15, ll. 45-50 of Sridhar cited by the Examiner refers to listening to communications from the client, not the server. Col. 15, ll. 65-67 describes listening for a single response, and does not describe listening for multiplexed HTTP responses over the socket. Col. 20, ll. 16-30 also cited by the Examiner similarly refers to receiving an object from a server, and describes the use of XTP for communicating with the server, rather than TCP as required by Applicants' claims.

For at least these reasons, the Examiner has failed to establish a prima facie case for non-patentability of Applicant's claims 6-7, 9, 11-17, 21, 24-25 under 35 U.S.C. 103(a). Withdrawal of this rejection is requested.

Claims 8 and 20

In the Office Action, the Examiner rejected claims 8 and 20 under 35 U.S.C. 103(a) as being unpatentable over Susai et al. in view of Sridhar et al. and in further view of 'Official Notice'. Applicants respectfully traverse the rejection for at least the reasons set forth above.

Claims 4 and 10

In the Office Action, the Examiner rejected claims 8 and 20 under 35 U.S.C. 103(a) as being unpatentable over Susai et al. in view of Sridhar et al. and in further view of Bommareddy (US 6,779,039). Applicants respectfully traverse the rejection for at least the reasons set forth above.

For example, as set forth above with respect to claim 12, and contrary to the Examiner's assertion, Sridhar is not determining whether a server is "busy" at all. Rather, Sridhar is determining whether a network address is usable. Moreover, whether a server is "busy" does not teach or suggest examining the actual number of unfulfilled requests.

Further, Bommareddy relates to controlling traffic flow across servers, not sockets. Contrary to the Examiner's assertion, the cited portion of Bommareddy does not describe selection of a socket based on a least-lengthy response time. Rather, Bommareddy suggests selections of different servers, which is entirely different. Correction by the Examiner is requested.

Application Number 09/975,522
Responsive to Office Action mailed April 11, 2005

Rejection for Obviousness-type Double Patenting:

The Examiner provisionally rejected claims 1-25 under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-26 of copending Application No. 09/882375. Applicants note the provisional status of this rejection. Accordingly, Applicants will address this issue if and when the rejection is formally applied.

CONCLUSION

All claims in this application are in condition for allowance. Applicants respectfully request reconsideration and prompt allowance of all pending claims. Please charge any additional fees or credit any overpayment to deposit account number 50-1778. The Examiner is invited to telephone the below-signed attorney to discuss this application.

Date:

August 11, 2005
SHUMAKER & SIEFFERT, P.A.
8425 Seasons Parkway, Suite 105
St. Paul, Minnesota 55125
Telephone: 651.735.1100
Facsimile: 651.735.1102

By:

Kent J. Sieffert
Name: Kent J. Sieffert
Reg. No.: 41,312